


# STEEL EMERGENCY EXIT LIGHT TWSE192WM



## Self-contained emergency exit light with 1 h supercapacitor and self-testing feature

Teknoware Steel is an elegant emergency exit light for high-class premises. The light plate in the elegant luminaire has a narrow, glossy metal frame. The luminaire can be used as one or two sided, and depending on the model, it is suitable for ceiling, wall, suspension or flag mounting. The Escap models have an extended ten-year product warranty.

We reserve the rights to make modifications without notice.  
Copyright © 2022 Teknoware. All rights reserved.  
Date: December 14, 2022 | Source:  
[www.teknoware.com/en/steel-emergency-exit-light-twse192wm](http://www.teknoware.com/en/steel-emergency-exit-light-twse192wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

 **TEKNOWARE®**

Product Code	TWSE192WM
Feature	Escap, Lumi Test
Mounting (standard)	ceiling, surface
Mounting (optional)	flag
Customs Code	94056080
GTIN Code	6438045027685
ETIM Product Class	EC001957
Length	291 mm
Width	53 mm
Height	210 mm
Weight	1,5 kg
Backup	1 h
Max Input Power VA	3,9 VA
Max Input Power W	3,5 W
Nominal Supply Voltage	220-240 V, 50/60 Hz AC
Protection Class	I
IP Class	IP20
Temperature Range Min - Max	-25...+35 °C
Glow Wire Test of Plastic Materials	850 °C
Viewing Distance	26 m
Light Source	LED
Body Material	stainless steel plate
Electrical Installation	3 x 2,5 mm <sup>2</sup>

ONE OR MORE OF THESE IS ALSO REQUIRED:


## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



We reserve the rights to make modifications without notice.  
 Copyright © 2022 Teknoware. All rights reserved.  
 Date: December 14, 2022 | Source:  
[www.teknoware.com/en/steel-emergency-exit-light-twse192wm](http://www.teknoware.com/en/steel-emergency-exit-light-twse192wm)




Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

Product Code	Pictogram	Viewing Distance (m)	Compatible Product Groups
PBVEX261E		26	Steel emergency exit light
PBVEX261E1		26	Steel emergency exit light
PBVEX261E2		26	Steel emergency exit light
PBVEX262E		26	Steel emergency exit light
PBVEX262E3		26	Steel emergency exit light
PBVEX265E		26	Steel emergency exit light
PBVEX265E3		26	Steel emergency exit light

We reserve the rights to make modifications without notice.  
 Copyright © 2022 Teknoware. All rights reserved.  
 Date: December 14, 2022 | Source:  
[www.teknoware.com/en/steel-emergency-exit-light-twse192wm](http://www.teknoware.com/en/steel-emergency-exit-light-twse192wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)





We reserve the rights to make modifications without notice.  
 Copyright © 2022 Teknoware. All rights reserved.  
 Date: December 14, 2022 | Source:  
[www.teknoware.com/en/steel-emergency-exit-light-twse192wm](http://www.teknoware.com/en/steel-emergency-exit-light-twse192wm)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

