


# SOLID EXIT 2 EMERGENCY EXIT LIGHT TWT3153WA



## Self-contained 3 h battery, Aalto Control compatible emergency exit light

Solid Exit 2 emergency exit light is equipped with a light plate. The luminaire is designed specifically to withstand harsh conditions. It is a 2-sided IP65 enclosure classed luminaire and completely dust and water proof.

Solid Exit 2 is suitable for example for industrial premises and parking halls. Escap and centrally supplied luminaires are also suitable for outdoor use.

Special attention has been paid to the design for easy installation.

|                                     |                           |
|-------------------------------------|---------------------------|
| Product Code                        | TWT3153WA                 |
| Feature                             | Aalto Control, Lumi Test  |
| Mounting (standard)                 | wall, surface             |
| Customs Code                        | 94056080                  |
| GTIN Code                           | 6438045022499             |
| ETIM Product Class                  | EC001957                  |
| Length                              | 371 mm                    |
| Width                               | 181 mm                    |
| Height                              | 232 mm                    |
| Weight                              | 1,8 kg                    |
| Backup                              | 3 h                       |
| Max Input Power VA                  | 3,6 VA                    |
| Max Input Power W                   | 3,2 W                     |
| Nominal Supply Voltage              | 220-240 V, 50/60 Hz AC    |
| Protection Class                    | II                        |
| IP Class                            | IP65                      |
| Temperature Range Min - Max         | -5...+30 °C               |
| Glow Wire Test of Plastic Materials | 850 °C                    |
| Viewing Distance                    | 30 m                      |
| Light Source                        | LED                       |
| Body Material                       | plastic                   |
| Colour                              | RAL9003                   |
| Electrical Installation             | 2/3 x 2,5 mm <sup>2</sup> |

ONE OR MORE OF THESE IS ALSO REQUIRED:

## PICTOGRAMS FOR EMERGENCY EXIT LIGHTS



We reserve the rights to make modifications without notice.  
 Copyright © 2022 Teknoware. All rights reserved.  
 Date: December 14, 2022 | Source:  
[www.teknoware.com/en/emergency-lighting-1/solid-exit-2-emergency-exit-light-twt3153wa](http://www.teknoware.com/en/emergency-lighting-1/solid-exit-2-emergency-exit-light-twt3153wa)



Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)


| Product Code | Pictogram   | Viewing Distance (m) | Compatible Product Groups          |
|--------------|---|----------------------|------------------------------------|
| PBV31302E    |    | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31302E3   |    | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31301E    |   | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31301E1   |    | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31301E2   |    | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31305E    |    | 30                   | Solid Exit 2 Emergency Exit Lights |
| PBV31305E3   |    | 30                   | Solid Exit 2 Emergency Exit Lights |

## OPTIONAL ACCESSORIES:

## OPTIONAL MOUNTING ACCESSORIES FOR EMERGENCY EXIT LIGHTS



| Product Code | Product Name                        | Compatible Product Groups  |
|--------------|-------------------------------------|--|
| TWT3006      | Solid Suspension Bracket TWT3006    | Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights                                   |
| TWT3001      | Solid Recess Mounting Frame TWT3001 | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights |
| TWT3002      | Solid Wall bracket TWT3002          | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights |
| TWT3003      | Solid Flag bracket TWT3003          | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights |
| TWT3004      | Solid Ceiling bracket TWT3004       | Solid Exit Emergency Exit Lights, Solid Exit 2 Emergency Exit Lights, Solid: Line Lowbay Emergency Lights, Solid: Line Midbay Emergency Lights, Solid: Zone Lowbay Emergency Lights, Solid: Zone Midbay Emergency Lights |



We reserve the rights to make modifications without notice.  
 Copyright © 2022 Teknoware. All rights reserved.  
 Date: December 14, 2022 | Source:  
[www.teknoware.com/en/emergency-lighting-1/solid-exit-2-emergency-exit-light-twt3153wa](http://www.teknoware.com/en/emergency-lighting-1/solid-exit-2-emergency-exit-light-twt3153wa)

Teknoware Oy | P.O. Box 19, 15101 Lahti | Ilmarisentie 8, 15200 Lahti Finland  
 Tel +358 3 883 020 | VAT-number FI01494751 | [teknoware.com](http://teknoware.com) | [emexit@teknoware.com](mailto:emexit@teknoware.com)

