




sehr gute Wallwaser Beleuchtungsqualität
High quality wall washer illumination



NEKO / FUSION / FW5
Wall washer LED Downlight



11W	CRI80 CRI90	2700K 3000K 4000K	550lm 600lm 650lm		50,000h@L80




Kurze Info

- Gleichmässiger Wallwasher Effekt
- Wallwasher LED Einbauleuchte
- Quadratischer Einbaurahmen/ Rahmenlos

Short Info

- Uniform wall washer effect
- Wall washer LED downlight
- Square trim/ trimless



Order Information

FW5-11W

CREE LED powered by **700mA** constant current LED driver, White trim, Matt reflector

Model	LED Power	System Power	LED Voltage	LED Current	CRI	CCT	LED output	System output	Code
FW5-11W-830	11 W	13 W	16 V	700 mA	80	3000K	1300 lm	600 lm	A751131(X)
FW5-11W-840	11 W	13 W	16 V	700 mA	80	4000K	1400 lm	650 lm	A751132(X)
FW5-11W-930	11 W	13 W	16 V	700 mA	90	3000K	1200 lm	550 lm	A751137(X)
FW5-11W-940	11 W	13 W	16 V	700 mA	90	4000K	1300 lm	600 lm	A751138(X)

Remark: X=F (ON-OFF) X=P (Phase Dim) X=A (1-10V Dim) X=D (DALI Dim) X=N (Without Driver)

FWT5-11W

CREE LED powered by **700mA** constant current LED driver, White trimless, Matt reflector

Model	LED Power	System Power	LED Voltage	LED Current	CRI	CCT	LED output	System output	Code
FWT5-11W-830	11 W	13 W	16 V	700 mA	80	3000K	1300 lm	600 lm	B751131(X)
FWT5-11W-840	11 W	13 W	16 V	700 mA	80	4000K	1400 lm	650 lm	B751132(X)
FWT5-11W-930	11 W	13 W	16 V	700 mA	90	3000K	1200 lm	550 lm	B751137(X)
FWT5-11W-940	11 W	13 W	16 V	700 mA	90	4000K	1300 lm	600 lm	B751138(X)


Remark: X=F (ON-OFF) X=P (Phase Dim) X=A (1-10V Dim) X=D (DALI Dim) X=N (Without Driver)

Fixture color

- White trim/trimless
Matt reflector
- Black trim/trimless
Matt reflector


Light Distribution

3000K




For more info see: www.nekolighting.com

NEKO / FUSION / FW10
Wall washer LED Downlight



22W	CRI80 CRI90	2700K 3000K 4000K	1100lm 1200lm 1300lm		50,000h@L80




Kurze Info

- Gleichmässiger Wallwasher Effekt
- Wallwasher LED Einbauleuchte
- Quadratischer Einbaurahmen/ Rahmenlos

Short Info

- Uniform wall washer effect
- Wall washer LED downlight
- Square trim/ trimless



• Ceiling thickness: 1mm-25mm

Order Information

FW10-22W

CREE LED powered by 700mA constant current LED driver, White trim, Matt reflector

Model	LED Power	System Power	LED Voltage	LED Current	CRI	CCT	LED output	System output	Code
FW10-22W-830	22 W	24 W	31 V	700 mA	80	3000K	2600 lm	1200 lm	A701131(X)
FW10-22W-840	22 W	24 W	31 V	700 mA	80	4000K	2800 lm	1300 lm	A701132(X)
FW10-22W-930	22 W	24 W	31 V	700 mA	90	3000K	2300 lm	1100 lm	A701137(X)
FW10-22W-940	22 W	24 W	31 V	700 mA	90	4000K	2500 lm	1200 lm	A701138(X)

Remark: X=F (ON-OFF) X=P (Phase Dim) X=A (1-10V Dim) X=D (DALI Dim) X=N (Without Driver)

FWT10-22W

CREE LED powered by 700mA constant current LED driver, White trim, Matt reflector

Model	LED Power	System Power	LED Voltage	LED Current	CRI	CCT	LED output	System output	Code
FWT10-22W-830	22 W	24 W	31 V	700 mA	80	3000K	2600 lm	1200 lm	B701131(X)
FWT10-22W-840	22 W	24 W	31 V	700 mA	80	4000K	2800 lm	1300 lm	B701132(X)
FWT10-22W-930	22 W	24 W	31 V	700 mA	90	3000K	2300 lm	1100 lm	B701137(X)
FWT10-22W-940	22 W	24 W	31 V	700 mA	90	4000K	2500 lm	1200 lm	B701138(X)


Remark: X=F (ON-OFF) X=P (Phase Dim) X=A (1-10V Dim) X=D (DALI Dim) X=N (Without Driver)

Fixture color

- White trim/trimless
Matt reflector
- Black trim/trimless
Matt reflector

Light Distribution

3000K



For more info see: www.nekolighting.com